

## 1. Human Health

### 1.1 Substances

Factor	Metrics	Documentation
Reporting Threshold Level	100 ppm	<a href="#">HPD</a>
Third-Party Verified	Yes	
Publicly Disclosed Inventory	100% publicly disclosed inventory	
Assessment-Based Optimization	<b>Pending</b>	<a href="#">Declare Label (excludes Teles)</a>
Restricted Substance List (RSL)	Green Screen BM-1 or LT-1 Chemicals	
Class-Based Substance Avoidance	Methyl Groups	<a href="#">Supplier Code of Conduct</a>

### 1.2 VOCs

Factor	Metrics	Documentation
VOC Content (Regulatory)	between 0.5 and 5.0 mg/m3	<a href="#">FloorScore</a>
VOC Content Compliance	<b>Pending</b>	<b>Pending</b>
VOC Content Standard	<b>Pending</b>	<b>Pending</b>
VOC Emissions Compliance	CDPH Standard Method v1.2-2017	<a href="#">FloorScore</a>
TVOC Range	between 0.5 and 5.0 mg/m3	

## 2. Climate Health

### 2.1 Embodied Carbon

Factor	Metrics	Documentation
LCA/EPD Type	Product Specific EPD	<a href="#">EPD</a>
Uncertainty Variables	<b>Pending</b>	
Third-Party Verified	Yes, 3rd Party (Externally Verified)	
Declared Unit	1 m <sup>2</sup>	
Reported GWP (A1-A3) per Unit (kgCO <sub>2</sub> e)	17.4-21.5 kg CO <sub>2</sub> e/square meter**	
Uncertainty Factor	<b>Pending</b>	<b>Pending</b>
Uncertainty Assessment	<b>Pending</b>	
Uncertainty Adjusted GWP (A1-A3) per Unit (kgCO <sub>2</sub> e)	<b>Pending</b>	
CLF Baseline Designation (2021)	<b>Pending</b>	<b>Pending</b>
Certification(s) for Reduced Carbon	Not Applicable	Not Applicable

## CMF Profile: Rubber Tile Flooring

### 3. Circularity

#### 3.1 Sourcing

Factor	Metrics	Documentation
Final Manufacturing Location	Calhoun, Georgia, United States	<a href="#">EPD</a>
Regenerative & Renewable Content Percentages (%)	0%	Not Applicable
Regenerative & Renewable Content Total (%)	0%	Not Applicable
Certifications for Benchmarks of Regenerative & Renewable Inputs	Not Applicable	Not Applicable

#### 3.2 End-Of-Life

Factor	Metrics	Documentation
Potential Cyclable Content (%)	0% Biodegradable, 0% Compostable, 0% Recyclable	<b>Pending</b>
Potential Cyclable Content Total (%)	0%	<b>Pending</b>
Certifications for Optimized End-of-Life	Not Applicable	Not Applicable
Extended Producer Responsibility (Take Back) Programs	Manufacturer Take Back Program	<a href="#">Mannington Recycles</a>
Reintegrated Content (%)	0% Reintegrated by Manufacturer, 0% Reintegrated by 3rd Party	Not Applicable

### 4. Social Equity and Health

#### 4.1 Company Workplace

Factor	Metrics	Documentation
Corporate Social Responsibility	Self-Reported	<a href="#">CRR</a>
Workplace Factors Assessed	Belonging and Potential, Safety, Benefits, Health & Well-Being	<a href="#">CRR</a>
3rd Party Standards for Company Workplace Organization	Not Applicable	Not Applicable
Diverse Business Enterprise	Not Applicable	Not Applicable

#### 4.2 Supply Chain

Factor	Metrics	Documentation
Supplier Human Rights Policy	Company-Wide Policy Verified	<a href="#">Supplier Code of Conduct</a>
Assessment and Identification of Human Rights Risks	Assessment of High-Risk Tier 1 Suppliers, Assessment of High-Risk Raw Materials	Assent Verification Services
Monitoring & Auditing of Supply Chain	Auditing of High-Risk Tier 1 Suppliers, Auditing of High-Risk Raw Materials	Assent Verification Services
Verification of Supply Chain Labor Practices	Internal Supplier Evaluation Process	Not Public

## CMF Profile: Rubber Tile Flooring

### 5. Ecosystem Health

#### 5.1 Pollution

Factor	Metrics	Documentation
3rd Party Standards for Environmental Management & Protection	ISO 14001 Certification	<a href="#">ISO 14001</a>

#### 5.2 Water Footprint- Product

Factor	Metrics	Documentation
Water Inventory (Footprint)	On-Site Water Intensity	<a href="#">CRR</a>
Water Use Efficiency (Flow Rate)	<b>Pending</b>	<b>Pending</b>
Certifications for Reduced Water Footprint	None	Not Applicable

#### 5.3 Biodiversity & Conservation

Factor	Metrics	Documentation
Compliance with Land Use, Habitat, Species Protection Policies	Legal Compliance	<a href="#">Mannington Policy</a>
Ecosystem Conservation Assessment	None	Not Applicable
Certifications for Ecosystem Restoration & Conservation	None	Not Applicable

#### Additional Information

Product Website	<a href="#">Rubber Tile</a>
*Includes ColorScape, ColorSpec, OpenRange, and Teles	
**See pages 18-25 for face weight specific values	<a href="#">EPD</a>
ColorScape and ColorSpec meet GPS Standards v2.0. Open Range and Teles do not.	<a href="#">GPS Standards</a>
Rubber Tile Flooring is offsetted at 105% equivalent of the cradle-to-gate embodied carbon through our partnership with the Appalachian Carbon Exchange	<a href="#">ACE</a> <a href="#">ACR</a>
This product profile was last updated	5 January 2026