

1. Human Health

1.1 Substances

Factor	Metrics	Documentation
Reporting Threshold Level	100 ppm	HPD
Third-Party Verified	Yes- Externally Verified	
Extent of Disclosed Inventory	100% publicly disclosed inventory	
Class-Based Substance Avoidance	Polyvinyl Chloride (PVC), Methyl Groups	
Assessment-Based Optimization	Data-driven decisions for composition, performance, and compliance*	
Restricted Substance List (RSL)	REACH Authorization List (Annex XIV), CA EPA- Prop 65, LBC Red List**	Supplier Code of Conduct

1.2 VOCs

Factor	Metrics	Documentation
VOC Content (Regulatory)	0.5 mg/m ³ or less	FloorScore
VOC Emissions Compliance	CDPH Standard Method v1.2-2017	
TVOC Emissions Range	0.5 mg/m ³ or less	

2. Climate Health

2.1 Embodied Carbon

Factor	Metrics	Documentation
Carbon Assessment Type	Product Specific EPD	EPD
Third-Party Verified	Yes, 3rd Party (Externally) Verified	
Declared Unit	1 m ²	
Reported GWP (A1-A3) per Unit (kgCO ₂ e)	11.9 kg CO ₂ e/square meter	

2.2 Company Carbon Impact

Factor	Metrics	Documentation
Public Disclosure of Company Emissions	Third-Party Verified Scope 1, 2, & 3 Emissions in Company Report	CRR
Carbon Offset	105% of Product Offset	ACE
	Third Party Verified; Nature-Based	ACR

CMF Profile: Amtico Luxury Vinyl Tile (LVT) 2.5mm

3. Circularity

3.1 Sourcing

Factor	Metrics	Documentation
Final Manufacturing Location	Madison, Georgia, United States	EPD
Regenerative & Renewable Content Percentages (%)	0% Pre-Consumer 0% Post-Consumer	HPD
Reintegrated Content (%)	7% Reintegrated by Manufacturer, 0% Reintegrated by 3rd Party	EPD

3.2 End-Of-Life

Factor	Metrics	Documentation
End of Life Guidance Provided	Manufacturer Contact	Mannington Reclaims
Extended Producer Responsibility (Take Back) Programs	Manufacturer Take Back Program	

3.3 Company Facility Waste

Factor	Metrics	Documentation
Facility Waste Diversion	Waste Diversion Initiatives per Facility	CRR

4. Social Equity and Health

4.1 Company Workplace

Factor	Metrics	Documentation
Corporate Social Responsibility Reporting Type	Self-Reported following GRI Standards	CRR
Business Enterprise Categorization	Not Applicable	Not Applicable

4.2 Supply Chain

Factor	Metrics	Documentation
Raw Material Supply Chain Standards	Yes	Supplier Code of Conduct
Company Supply Chain Standards	Yes	

CMF Profile: Amtico Luxury Vinyl Tile (LVT) 2.5mm

5. Ecosystem Health

5.1 Environmental Impacts

Factor	Metrics	Documentation
TRACI Additional Impact Areas: Acidification (AP), Eutrophication (EP), Fossil Fuel Resources (ADP), Smog Air (POCP)	AP: .0176 kg SO ₂ e/m ²	EPD
	EP: .00560 kg Ne/m ²	
	ADP: 35.4 MJ surplus energy	
	POCP: .418 kg O ₃ e/m ²	

5.2 Biodiversity and Conservation

Factor	Metrics	Documentation
Standards for Company Impacts on Biodiversity & Conservation	Company Environmental Policy	Mannington Policy

Additional Information

Product Website	LVT
**Mannington acknowledges that Cradle to Cradle and Living Building Challenge are listed; we use proprietary methods not described in the framework.	Contact
***Our Managed Substances List (MSL) includes, but is not limited to, the items mentioned above; an exhaustive list can be downloaded here.	Managed Substances List
+Vantage Vinyl Verified- Silver	Certification
ISO 14001:2015 & ISO 9001:2015 Certified Facility	ISO 14001
	ISO 9001
Meets GPS Standards v2.1 (≤20.5 kg of CO ₂ eq per m ²).	GPS Standards
This product profile acts as a quick, sound understanding of our offering and you may contact us with further questions.	Contact
This product profile was last updated	18 February 2026

Further Context

- In 2025, we conducted our first Supplier Code of Conduct adherence campaign assessing suppliers' sustainability initiatives.
- 2024 marked our first year reporting Scope 3 emissions and global operational data, strengthening our reporting capabilities and intensity metrics.
- 8,758 metric tons of post-industrial scrap were reworked into new LVT products in 2024.
- Our partnership with the Appalachian Carbon Exchange helps expands workforce development, reforestation, and habitat conservation efforts- all in Mannington's backyard!
- We annually audit our facilities in accordance with ISO 14001:2015 and ISO 9001:2015 standards to identify opportunities for operational improvement.
- Mannington Commercial LVT does not add legacy additives that are cause for concern, such as asbestos, bisphenol A, BTHC, cadmium, DEHT, DINCH, flame retardants, hexavalent chromium, lead, mercury, ortho-phthalates, PFAS/PFOS/PFOA, TOTM/TEHTH, trialkyl compounds, and conflict materials.