

Common Materials Framework Profile Luxury Vinyl Tile (LVT) 2mm

1. Human Health

1.1 Substances

Factor	Metrics	Documentation
Reporting Threshold Level	100 ppm	HPD
Third-Party Verified	Yes	
Publicly Disclosed Inventory	100% publicly disclosed inventory	
Assessment-Based Optimization	Pending	
Restricted Substance List (RSL)	Green Screen BM-1 or LT-1 Chemicals	
Class-Based Substance Avoidance	Polyvinyl Chloride (PVC), Methyl Groups	Supplier Code of
		<u>Conduct</u>

1.2 VOCs

Factor	Metrics	Documentation
VOC Content (Regulatory)	0.5 mg/m³ or less	<u>Floorscore</u>
VOC Content Compliance	Pending	Pending
VOC Content Standard	Pending	Pending
VOC Emissions Compliance	CDPH Standard Method v1.2-2017	- <u>Floorscore</u>
TVOC Range	0.5 mg/m³ or less	

2. Climate Health

2.1 Embodied Carbon

Factor	Metrics	Documentation
LCA/EPD Type	Product Specific EPD	EPD
Uncertainty Variables	Manufacturer Specific, Plant Specific, Product Specifc	
Third-Party Verified	Yes, 3rd Party (Externally Verified)	
Declared Unit	1 m ²	
Reported GWP (A1-A3) per Unit (kgCO2e)	6.39 kg CO2e/square meter	
Uncertainty Factor	1.147	EC3 Profile*
Uncertainty Assessment	EC3 Uncertainty Methodology	
Uncertainty Adjusted GWP (A1-A3) per Unit (kgCO2e)	7.114 kg CO2e/square meter	
CLF Baseline Designation (2021)	Pending	Pending
Certification(s) for Reduced Carbon	Not Applicable	Not Applicable

CMF Profile: Luxury Vinyl Tile (LVT 2mm) 3. Circularity 3.1 Sourcing Metrics Factor Documentation Final Manufacturing Location Madison, Georgia, United States **EPD** Regenerative & Renewable Content 0% Not Applicable Percentages (%) Regenerative & Renewable Content 0% Not Applicable Total (%) Certifications for Benchmarks of Not Applicable Not Applicable Regenerative & Renewable Inputs 3.2 End-Of-Life Factor Metrics Documentation 0% Biodegradable, 0% Compostable, 100% Potential Cyclable Content (%) **Pending** Recyclable 100% Potential Cyclable Content Total (%) **Pending** Certifications for Optimized End-of-Not Applicable Not Applicable Life Extended Producer Responsibility Manufacturer Take Back Program **Mannington Recycles** (Take Back) Programs 35% Reintegrated by Manufacturer, 0% Reintegrated Content (%) Not Applicable Reintegrated by Third Party 4. Social Equity and Health 4.1 Company Workplace Factor Metrics Documentation Self-Reported Corporate Social Responsibility **CRR** Belonging and Potential, Safety, Benefits, Workplace Factors Assessed **CRR** Health & Well-Being 3rd Party Standards for Company Not Applicable Not Applicable Workplace Organization Diverse Business Enterprise Not Applicable Not Applicable 4.2 Supply Chain Metrics Factor Documentation Supplier Code of Company-Wide Policy Verified Supplier Human Rights Policy Conduct Assessment of High-Risk Tier 1 Suppliers, Assessment and Identification of Assent Verification Human Rights Risks Assessment of High-Risk Raw Materials Services Auditing of High-Risk Tier 1 Suppliers, Assent Verification Monitoring & Auditing of Supply Chain Auditing of High-Risk Raw Materials Services Verification of Supply Chain Labor Internal Supplier Evaluation Process

Practices

Not Public

	CMF Profile: Luxury Vin	yl Tile (LVT 2mm)			
5. Ecosystem Health					
5.1 Pollution					
Factor	Metrics	Documentation			
3rd Party Standards for					
Environmental Management &	ISO 14001 Certification	<u>ISO 14001</u>			
Protection					
5.2 Water Footprint- Product					
Factor	Metrics	Documentation			
Water Inventory (Footprint)	On-Site Water Intensity	CRR			
Water Use Efficiency (Flow Rate)	Pending	Pending			
Certifications for Reduced Water	None	Not Applicable			
Footprint	None				
5.3 Biodiversity & Conservation					
Factor	Metrics	Documentation			
Compliance with Land Use, Habitat,	Legal Compliance	Mannington Policy			
Species Protection Policies					
Ecosystem Conservation Assessment	None	Not Applicable			
Certifications for Ecosystem	N	N A I' I. I.			
Restoration & Conservation	None	Not Applicable			
Additional Information					
Product Website		LVT 2mm			
*Updates pending upon the release of new information		<u>Contact</u>			
2mm Luxury Vinyl Tile meets GPS Standards v2.0 (≤20.5 kgCO2e/m²).		GPS Standards			
Luxury Vinyl Tile is offsetted at 105% equivalent of the cradle-to-gate embodied		ACE			
carbon through our partnership with the Appalachian Carbon Exchange.		ACR			
This product profile was last updated		13 November 2025			