

# Common Materials Framework Profile Rubber Tile Flooring\*

## 1. Human Health

### 1.1 Substances

Factor	Metrics	Documentation
Reporting Threshold Level	100 ppm	HPD
Third-Party Verified	Yes	
Publicly Disclosed Inventory	100% publicly disclosed inventory	
Assessment-Based Optimization	Pending	Declare Label (excludes Teles)
Restricted Substance List (RSL)	Green Screen BM-1 or LT-1 Chemicals	
Class-Based Substance Avoidance	Methyl Groups	Supplier Code of Conduct

# 1.2 VOCs

Factor	Metrics	Documentation
VOC Content (Regulatory)	between 0.5 and 5.0 mg/m3	<u>Floorscore</u>
VOC Content Compliance	Pending	Pending
VOC Content Standard	Pending	Pending
VOC Emissions Compliance	CDPH Standard Method v1.2-2017	Floorscore
TVOC Range	between 0.5 and 5.0 mg/m3	

# 2. Climate Health

## 2.1 Embodied Carbon

Factor	Metrics	Documentation
LCA/EPD Type	Product Specific EPD	EPD Pending
Uncertainty Variables	Pending	
Third-Party Verified	Yes, 3rd Party (Externally Verified)	
Declared Unit	1 m <sup>2</sup>	
Reported GWP (A1-A3) per Unit (kgCO2e)	14.3-18.9 kg CO2e/square meter**	
Uncertainty Factor	Pending	
· ·	<u>~</u>	
Uncertainty Assessment	Pending	
Uncertainty Adjusted GWP (A1-A3) per	Pending	
Unit (kgCO2e)		
CLF Baseline Designation (2021)	Pending	Pending
Certification(s) for Reduced Carbon	Not Applicable	Not Applicable

#### CMF Profile: Rubber Tile Flooring 3. Circularity 3.1 Sourcing Metrics Factor Documentation Final Manufacturing Location Calhoun, Georgia, United States **EPD** Regenerative & Renewable Content 0% Not Applicable Percentages (%) Regenerative & Renewable Content 0% Not Applicable Total (%) Certifications for Benchmarks of Not Applicable Not Applicable Regenerative & Renewable Inputs 3.2 End-Of-Life Factor Metrics Documentation 0% Biodegradable, 0% Compostable, 0% Potential Cyclable Content (%) **Pending** Recyclable 0% Potential Cyclable Content Total (%) **Pending** Certifications for Optimized End-of-Not Applicable Not Applicable Life Extended Producer Responsibility Manufacturer Take Back Program **Mannington Recycles** (Take Back) Programs 0% Reintegrated by Manufacturer, 0% Reintegrated Content (%) Not Applicable Reintegrated by 3rd Party 4. Social Equity and Health 4.1 Company Workplace Metrics Factor Documentation Corporate Social Responsibility Self-Reported CRR Belonging and Potential, Safety, Benefits, Workplace Factors Assessed **CRR** Health & Well-Being 3rd Party Standards for Company Not Applicable Not Applicable Workplace Organization Diverse Business Enterprise Not Applicable Not Applicable 4.2 Supply Chain Factor Metrics Documentation Supplier Code of Company-Wide Policy Verified Supplier Human Rights Policy Conduct Assessment and Identification of Assessment of High-Risk Tier 1 Suppliers, Assent Verification Human Rights Risks Assessment of High-Risk Raw Materials Services Auditing of High-Risk Tier 1 Suppliers, Assent Verification Monitoring & Auditing of Supply Chain Auditing of High-Risk Raw Materials Services Verification of Supply Chain Labor Internal Supplier Evaluation Process Not Public

**Practices** 

#### CMF Profile: Rubber Tile Flooring 5. Ecosystem Health 5.1 Pollution Metrics Factor Documentation 3rd Party Standards for ISO 14001 Certification Environmental Management & ISO 14001 Protection **5.2 Water Footprint- Product** Metrics Factor Documentation Water Inventory (Footprint) On-Site Water Intensity CRR Water Use Efficiency (Flow Rate) **Pending Pending** Certifications for Reduced Water None Not Applicable Footprint 5.3 Biodiversity & Conservation Metrics Factor Documentation Compliance with Land Use, Habitat, Legal Compliance Mannington Policy Species Protection Policies Ecosystem Conservation Assessment None Not Applicable Certifications for Ecosystem None Not Applicable Restoration & Conservation **Additional Information** Product Website Rubber Tile \*Includes ColorScape, ColorSpec, OpenRange, and Teles \*\*See pages 16-25 for face weight specific values **EPD** ColorScape and ColorSpec meet GPS Standards v2.0. Open Range and Teles do not. **GPS Standards** Rubber Tile Flooring is offsetted at 105% equivalent of the cradle-to-gate embodied **ACE** carbon through our partnership with the Appalachian Carbon Exchange **ACR** This product profile was last updated 22 September 2025