

1. Human Health

1.1 Substances

Factor	Metrics	Documentation
Reporting Threshold Level	100 ppm	HPD
Third-Party Verified	Yes	
Publicly Disclosed Inventory	100% publicly disclosed inventory	
Assessment-Based Optimization	Pending	Declare Label
Restricted Substance List (RSL)	Green Screen BM-1 or LT-1 Chemicals	
Class-Based Substance Avoidance	Methyl Groups	Supplier Code of Conduct

1.2 VOCs

Factor	Metrics	Documentation
VOC Content (Regulatory)	0.5 mg/m ³ or less	Green Label Plus
VOC Content Compliance	Pending	Pending
VOC Content Standard	Pending	Pending
VOC Emissions Compliance	CDPH Standard Method v1.2-2017	Green Label Plus
TVOC Range	0.5 mg/m ³ or less	

2. Climate Health

2.1 Embodied Carbon

Factor	Metrics	Documentation
LCA/EPD Type	Product Specific EPD	EPD
Uncertainty Variables	Manufacturer Specific, Plant Specific, Product Specific	
Third-Party Verified	Yes, 3rd Party (Externally Verified)	
Declared Unit	1 m ²	
Reported GWP (A1-A3) per Unit (kgCO ₂ e)	8.84-19.5 kg CO ₂ e/square meter*	
Uncertainty Factor	1.175	EC3 Profile
Uncertainty Assessment	EC3 Uncertainty Methodology	
Uncertainty Adjusted GWP (A1-A3) per Unit (kgCO ₂ e)	11.99 kgCO ₂ e/square meter	
CLF Baseline Designation (2021)	Pending	Pending
Certification(s) for Reduced Carbon	Not Applicable	Not Applicable

CMF Profile: rEvolve II Modular with Nylon 6,6

3. Circularity

3.1 Sourcing

Factor	Metrics	Documentation
Final Manufacturing Location	Calhoun, Georgia, United States	EPD
Regenerative & Renewable Content Percentages (%)	0%	Not Applicable
Regenerative & Renewable Content Total (%)	0%	Not Applicable
Certifications for Benchmarks of Regenerative & Renewable Inputs	Not Applicable	Not Applicable

3.2 End-Of-Life

Factor	Metrics	Documentation
Potential Cyclable Content (%)	0% Biodegradable, 0% Compostable, 3.1-4.2% Recyclable**	Not Applicable
Potential Cyclable Content Total (%)	3.1-4.2%	Not Applicable
Certifications for Optimized End-of-Life	Not Applicable	Not Applicable
Extended Producer Responsibility (Take Back) Programs	Manufacturer Take Back Program	Mannington Recycles
Reintegrated Content (%)	0% Reintegrated by Manufacturer, 0% Reintegrated by 3rd Party	Not Applicable

4. Social Equity and Health

4.1 Company Workplace

Factor	Metrics	Documentation
Corporate Social Responsibility	Self-Reported	CRR
Workplace Factors Assessed	Belonging and Potential, Safety, Benefits, Health & Well-Being	CRR
3rd Party Standards for Company Workplace Organization	Not Applicable	Not Applicable
Diverse Business Enterprise	Not Applicable	Not Applicable

4.2 Supply Chain

Factor	Metrics	Documentation
Supplier Human Rights Policy	Company-Wide Policy Verified	Supplier Code of Conduct
Assessment and Identification of Human Rights Risks	Assessment of High-Risk Tier 1 Suppliers, Assessment of High-Risk Raw Materials	Assent Verification Services
Monitoring & Auditing of Supply Chain	Auditing of High-Risk Tier 1 Suppliers, Auditing of High-Risk Raw Materials	Assent Verification Services
Verification of Supply Chain Labor Practices	Internal Supplier Evaluation Process	Not Public

CMF Profile: rEvolve II Modular with Nylon 6,6

5. Ecosystem Health

5.1 Pollution

Factor	Metrics	Documentation
3rd Party Standards for Environmental Management & Protection	ISO 14001 Certification	ISO 14001

5.2 Water Footprint- Product

Factor	Metrics	Documentation
Water Inventory (Footprint)	On-Site Water Intensity	CRR
Water Use Efficiency (Flow Rate)	Pending	Pending
Certifications for Reduced Water Footprint	None	Not Applicable

5.3 Biodiversity & Conservation

Factor	Metrics	Documentation
Compliance with Land Use, Habitat, Species Protection Policies	Legal Compliance	Mannington Policy
Ecosystem Conservation Assessment	None	Not Applicable
Certifications for Ecosystem Restoration & Conservation	None	Not Applicable

Additional Information

Product Website	rEvolve II Nylon 6,6
* See Table 16 for face weight specific values	EPD
**3.1-4.2% Pre-Consumer, 0% Post-Consumer- varies by face weight; contact sales rep for specific information	Contact
Meets GPS Standards v2.0 (≤10.9 kg CO2eq); certain collections meet Market Differentiator (≤5.8 kg CO2eq)	GPS Standards